Index of Authors

Abboudi T, see Rollin X, 865
Abdoun K, Wolf K, Arndt G & Martens H *Effect of ammonia on Na^+ transport across isolated rumen epithelium of sheep is diet dependent,* DOI: 10.1079/BJN2003957, 751
Adelekan DA, Northrop-Clewes CA, Owa JA, Oyedeji AO, Owoeye AA & Thurnham DI *Use of biomarkers of sub-clinical infection, nutrition and neonatal maturity to interpret plasma retinol in Nigerian neonates,* DOI: 10.1079/BJN2003907, 353
Adlercreutz H, see Oikarinen S, 119
Adou P, see Davidsson L, 337
Adriaens MPE, Schoffelen PFM & Westerterp KR *Intra-individual variation of basal metabolic rate and the influence of daily habitual physical activity before testing,* DOI: 10.1079/BJN2003895, 419
Agbaria R, see Walfisch Y, 759
Aguzzi A, see Lombardi-Boccia G, 1117
Ahvenjärvi S, Vanhatalo A, Shingfield KJ & Huhtanen P *Determination of digesta flow entering the omasal canal of dairy cows using different marker systems,* DOI: 10.1079/BJN2003876, 41
Alexy U, Sichert-Hellert W & Kersting M *Associations between intake of added sugars and intakes of nutrients and food groups in the diets of German children and adolescents,* DOI: 10.1079/BJN2003904, 441
Alfos S, see Husson M, 191
Alférez MJM, see Campos MS, 61
Alvarez-Leite JI, see Peluzio MCG, 3
Al-Sendi AM, Shetty P, Musaiger AO & Myatt M *Relationship between body composition and blood pressure in Bahraini adolescents,* DOI: 10.1079/BJN2003963, 837
Alves-Guerra MC, see Mostyn A, 323
Åman P, see Ross AB, 787
Aoyama Y, see Hara H, 29
Aoyama Y, see Nishimukai M, 565
Aoyama Y, see Xu H, 573
Aranda P, see Mataix J, 661
Arantes RME, see Peluzio MCG, 3
Arden NK, see Trebble T, 405
Arndt G, see Abdoun K, 751
Askali FC, see Trinidad TP, 551

Bach Knudsen KE, see Ross AB, 787
Bach Knudsen KE, see Wisker E, 373
Bal W, see Seal CJ, 853
Ballinger AB, see Trebble T, 405
Barbosa V, see Cahu CL, 21
Barker ME, see Belderson P, 1003
Barletta A, see Iossa S, 953
Barrionuevo M, see Campos MS, 61
Barry TN, see Pacheco D, 271
Bauman DE, see Ostrowska E, 915
Beau J-P, see Idohou-Dossou N, 1123
Belderson P, Harvey I, Kimbell R, O'Neill J, Russell J & Barker ME *Does breakfast-club attendance affect schoolchildren's nutrient intake? A study of dietary intake at three schools (Short communication),* DOI: 10.1079/BJN20031011, 1003
Beyer-Sehlmeyer G, Glei M, Hartmann E, Hughes R, Persin C, Böhm V, Rowland I, Schubert R, Jahreis G & Pool-Zobel BL *Butyrate is only one of several growth inhibitors produced during gut flora-mediated fermentation of dietary fibre sources,* DOI: 10.1079/BJN20031003, 1057
Beynen AC, see Giudetti AM, 887
Beynen AC, see Vente-Spreeuwenberg MAM, 907
Biesalski HK, see Sobeck U, 69
Bigot K, Taouis M, Picard M & Tesseraud S *Early post-hatching starvation delays p70 S6 kinase activation in the muscle of neonatal chicks,* DOI: 10.1079/BJN2003992, 1023
Birkett AM, see Seal CJ, 853
Biswas SK, see Larsen T, 521
Blackmore K, see Gatford KL, 283
Blanco I, see Granado F, 487
Blümmel M, Karsli A & Russell JR *Influence of diet on growth yields of rumen micro-organisms* in vitro *and* in vivo*: influence on growth yield of variable carbon fluxes to fermentation products* DOI: 10.1079/BJN2003934, 625
Böhm V, see Beyer-Sehlmeyer G, 1057
Boirie Y, see Lazzer S, 987
Boirie Y, see Rousset S, 1107
Botta M, see Iossa S, 953
Bowey E, see Ross AB, 787
Boyce JM, see Gatford KL, 283
Brandolini M, see Rousset S, 1107
Braschi A, see Naismith DJ, 53
Breithaupt DE, Weller P, Wolters M & Hahn A *Plasma response to a single dose of dietary β-cryptoxanthin esters from papaya (Carica papaya L.) or non-esterified β-cryptoxanthin in adult human subjects: a comparative study,* DOI: 10.1079/BJN2003962, 795
Britton J, see Broadfield E, 215
Broadfield E, McKeever T, Fogarty A & Britton J *Measuring dietary fatty acid intake: validation of a food-frequency questionnaire against 7 d weighed records,* DOI: 10.1079/BJN2003884, 215
Brown IL, see Brown MA, 823
Brown MA, Storlien LH, Brown IL & Higgins JA *Cooking attenuates the ability of high-amylose meals to reduce plasma insulin concentrations in rats,* DOI: 10.1079/BJN2003958, 823
Bruce WR, see Ward WE, 589
Bruck W, see Hamilton-Miller JMT, 845
Buchan W, see Faber P, 221
Budge H, see Mostyn A, 323
Burdge G n-*3 Fatty acid metabolism in women – Reply (Nutrition Discussion Forum),* DOI: 10.1079/BJN2003986, 994
Burdge GC, Delange E, Dubois L, Dunn RL, Hanson MA, Jackson AA & Calder PC *Effect of reduced maternal protein intake in pregnancy in the rat on the fatty acid composition of brain, liver, plasma, heart and lung phospholipids of the offspring after weaning,* DOI: 10.1079/BJN2003909, 345
Burdge GC, Finnegan YE, Minihane AM, Williams CM & Wootton SA *Effect of altered dietary* n*-3 fatty acid intake upon plasma lipid fatty acid composition, conversion of [^{13}C]α-linolenic acid to longer-chain fatty acids and partitioning towards β-oxidation in older men,* DOI: 10.1079/BJN2003901, 311
Burdge GC, see Trebble T, 405
Buyse J, see Collin A, 261

Cahu CL, Zambonino Infante JL & Barbosa V *Effect of dietary phospholipid level and phospholipid:neutral lipid value on the development of sea bass (*Dicentrarchus labrax*) larvae fed a compound diet,* DOI: 10.1079/BJN2003880, 21
Calder PC, see Burdge GC, 345
Calder PC, see Kew S, 1071

Calder PC, see Trebble T, 405
Cameron A, see Montgomery C, 135
Campbell RG, see Gatford KL, 283
Campos MS, López-Aliaga I, Alférez MJM, Nestares T & Barrionuevo M *Effects of goats' or cows' milks on nutritive utilization of calcium and phosphorus in rats with intestinal resection,* DOI: 10.1079/BJN2003862, 61
Cappelloni M, see Lombardi-Boccia G, 1117
Cardona F, see Soriguer F, 1015
Carro MD & Ranilla MJ *Influence of different concentrations of disodium fumarate on methane production and fermentation of concentrate feeds by rumen micro-organisms* in vitro, DOI: 10.1079/BJN2003935, 617
Cashman KD, see Kelly O, 557
Cashman KD, see Kelly O, 743
Castillo JC, see Trinidad TP, 551
César GC, see Peluzio MCG, 3
Champ MMJ, see Moreau NM, 75
Chan HY & Leung LK *A potential protective mechanism of soya isoflavones against 7,12-dimethylbenz[a]anthracene tumour initiation,* DOI: 10.1079/BJN2003913, 457
Chan HY, Wang H & Leung LK *The red clover (*Trifolium pratense*) isoflavone biochanin A modulates the biotransformation pathways of 7,12-dimethylbenz[a]anthracene,* DOI: 10.1079/BJN2003868, 87
Chao C, see Moore N, 581
Chappuis P, see Idohou-Dossou N, 1123
Chezem JC, see Spiller GA, 803
Christensen HR, Larsen LC & Frøkiær H *The oral immunogenicity of BioProtein, a bacterial single-cell protein, is affected by its particulate nature,* DOI: 10.1079/BJN2003863, 169
Cissé D, see Idohou-Dossou N, 1123
Clapham M *Nutrition Across the Life Span (Book review),* DOI: 10.1079/BJN2003969, 997
Cohen R, see Delarue J, 777
Cole TJ, see Wells JCK, 699
Collin A, Malheiros RD, Moraes VMB, Van As P, Darras VM, Taouis M, Decuypere E & Buyse J *Effects of dietary macronutrient content on energy metabolism and uncoupling protein mRNA expression in broiler chickens,* DOI: 10.1079/BJN2003910, 261
Covas MI, see Schröder H, 431
Crescenzo R, see Iossa S, 953
Crews HM, see Harvey LJ, 161
Cross RF, see Ostrowska E, 915
Cuesta-Muñoz AL, see Soriguer F, 1015
Cusack S, see Kelly O, 557
Cusack S, see Kelly O, 743

Dahl L, Opsahl JA, Meltzer HM & Julshamn K *Iodine concentration in Norwegian milk and dairy products,* DOI: 10.1079/BJN2003921, 679
Dainty JR, Roe MA, Teucher B, Eagles J & Fairweather-Tait SJ *Quantification of unlabelled non-haem iron absorption in human subjects: a pilot study* DOI: 10.1079/BJN2003931, 503
Dainty JR, see Harvey LJ, 161
Dainty JR, see Wright AJA, 363
Daly ME, see Seal CJ, 853
Dandrea J, see Mostyn A, 323
Darras VM, see Collin A, 261
Das BS, see Devi U, 541
Davidsson L, Adou P, Zeder C, Walczyk T & Hurrell R *The effect of retinyl palmitate added to iron-fortified maize porridge on erythrocyte incorporation of iron in African children with vitamin A deficiency,* DOI: 10.1079/BJN2003914, 337
Davidsson L, see Fidler MC, 1081
Davies PSW, see Rush EC, 1133
De Blasio MJ, see Gatford KL, 283
Decuypere E, see Collin A, 261
de Kruif JThCM & Vos A *An algorithm for the clinical assessment of nutritional status in hospitalized patients* DOI: 10.1079/BJN2003959, 829
Delange E, see Burdge GC, 345
Delarue J, Labarthe F & Cohen R *Fish-oil supplementation reduces stimulation of plasma glucose fluxes during exercise in untrained males,* DOI: 10.1079/BJN2003964, 777
Deurenberg P *Validation of body composition methods and assumptions (Invited commentary),* DOI: 10.1079/BJN2003947, 485
Devery R, see Miller Á, 877
Devi U, Rao CM, Srivastava VK, Rath PK & Das BS *Effect of iron supplementation on mild to moderate anaemia in pulmonary tuberculosis,* DOI: 10.1079/BJN2003936, 541
De Wilde R, see Hesta M, 1007
Diaham B, see Idohou-Dossou N, 1123
Dietrich H, see Sembries S, 607
Di Lullo G, see Lombardi-Boccia G, 1117
Ding ST, see Hsu JM, 507
Doherty C, see Fernandez-Twinn DS, 815
Doherty DA, see Mitoulas LR, 979
Dongowski G, Huth M & Gebhardt E *Steroids in the intestinal tract of rats are affected by dietary-fibre-rich barley-based diets,* DOI: 10.1079/BJN2003976, 895
Dongowski G, see Sembries S, 607
Donnelly B *National Academies of Science definitions relating to food fibre only add confusion (Letter to the Editor),* DOI: 10.1079/BJN2003941, 481
Donnelly JE, see Grunwald GK, 1087
Douay O, see Dumas J-F, 969
Drumond TC, see Peluzio MCG, 3
Dubois L, see Burdge GC, 345
Dumas JF, Simard G, Roussel D, Douay O, Foussard F, Malthiery Y & Ritz P *Mitochondrial energy metabolism in a model of undernutrition induced by dexamethasone,* DOI: 10.1079/BJN2003980, 969
Dumon HJ, see Moreau NM, 75
Duncan AJ, see Rouzaud G, 395
Dunn RL, see Burdge GC, 345
Dunshea FR, see Ostrowska E, 915

Eagles J, see Dainty JR, 503
Ebdon L *Metal Contamination of Food: Its Significance for Food Quality and Human Health (Book review),* DOI: 10.1079/BJN2003984, 999
Edwards Jr HM *Effects of u.v. irradiation of very young chickens on growth and bone development,* DOI: 10.1079/BJN2003860, 151
Ekert JE, see Gatford KL, 283
Ekizoglou S, see Fernandez-Twinn DS, 815
Elia M, see Faber P, 221
Elosua R, see Schröder H, 431
Enderlin V, see Husson M, 191
Enser M, see Scollan ND, 709

Faber P, Johnstone AM, Gibney ER, Elia M, Stubbs RJ, Roger PL, Milne E, Buchan W & Lobley GE *The effect of rate and extent of weight loss on urea salvage in obese male subjects,* DOI: 10.1079/BJN2003859, 221
Fairweather-Tait SJ, see Dainty JR, 503
Fairweather-Tait SJ, see Harvey LJ, 161
Féart C, see Husson M, 191
Feinle-Bisset C, see O'Donovan D, 849
Fernandez-Twinn DS, Ozanne SE, Ekizoglou S, Doherty C, James L, Gusterson B & Hales CN *The maternal endocrine environment in the low-protein model of intra-uterine growth restriction,* DOI: 10.1079/BJN2003967, 815
Ferreira IMPLVO *Quantification of non-protein nitrogen components of infant formulae and follow-up milks: comparison with cows' and human milk,* DOI: 10.1079/BJN2003882, 127

Fewtrell MS, see Wells JCK, 699
Fidler MC, Davidsson L, Zeder C, Walczyk T & Hurrell RF *Iron absorption from ferrous fumarate in adult women is influenced by ascorbic acid but not by Na_2EDTA,* DOI: 10.1079/BJN2003995, 1081
Fielding BA, see Smith RD, 597
Filteau S, see Yousafzai AK, 1097
Finglas PM, see Sanderson P, 473
Finglas PM, see Wright AJA, 363
Finnegan YE, see Burdge GC, 311
Fischer A, see Sobeck U, 69
Fogarty A, see Broadfield E, 215
Ford A, see Maguire L, 767
Forhead AJ, see Lisle SJM, 33
Forsum E, see Lof M, 961
Foussard F, see Dumas J-F, 969
Frøkiær H, see Christensen HR, 169
Fuller NJ, see Wells JCK, 699
Furumoto EJ, see Spiller GA, 803

García-Fuentes E, see Soriguer F, 1015
Gatford KL, Ekert JE, Blackmore K, De Blasio MJ, Boyce JM, Owens JA, Campbell RG & Owens PC *Variable maternal nutrition and growth hormone treatment in the second quarter of pregnancy in pigs alter semitendinosus muscle in adolescent progeny,* DOI: 10.1079/BJN2003893, 283
Gebhardt E, see Dongowski G, 895
Gee JM, see Steer TE, 635
Geelen MJH, see Giudetti AM, 887
Gibbons ES, see Kew S, 1071
Gibney ER, see Faber P, 221
Gibson GR, see Hamilton-Miller JMT,
Gibson GR, see Steer TE, 635
Giudetti AM, Beynen AC, Lemmens AG, Gnoni GV & Geelen MJH *Hepatic fatty acid metabolism in rats fed diets with different contents of $C_{18:0}$, $C_{18:1}$* cis *and $C_{18:1}$* trans *isomers,* DOI: 10.1079/BJN2003977, 887
Gleeson M *Nutrition and Immune Function (Book review),* DOI: 10.1079/BJN2003874, 239
Glei M, see Beyer-Sehlmeyer G, 1057
Glitsø LV, see Ross AB, 787
Gnoni GV, see Giudetti AM, 887
Gómez-Zumaquero JM, see Soriguer F, 1015
Goris A, Vermeeren M, Schols A, Wouters E & Westerterp K *Energy balance in patients with chronic obstructive pulmonary disease – Reply by Goris* et al. *(Nutrition Discussion Forum),* DOI: 10.1079/BJN2003999, 1141
Goris AHC, see Westerterp-Plantenga MS, 643
Granado F, Olmedilla B & Blanco I *Nutritional and clinical relevance of lutein in human health (Review article),* DOI: 10.1079/BJN2003927, 487
Gregory III JF, see Sanderson P, 473
Gregory JF, see Wright AJA, 363
Grunwald GK, Sullivan DK, Hise M, Donnelly JE, Jacobsen DJ, Johnson SL & Hill JO *Number of days, number of subjects, and sources of variation in longitudinal intervention or crossover feeding trials with multiple days of measurement,* DOI: 10.1079/BJN2003989, 1087
Guiro AT, see Idohou-Dossou N, 1123
Gulati SK, see Scollan ND, 709
Guo Z-X, see Ross AB, 787
Gurrin LC, see Mitoulas LR, 979
Gusterson B, see Fernandez-Twinn DS, 815

Hahn A, see Breithaupt DE, 795
Hales CN, see Fernandez-Twinn DS, 815
Hales CN, see Lisle SJM, 33
Hamilton-Miller JMT, Gibson GR & Bruck W *Some insights into the derivation and early uses of the word 'probiotic',* DOI: 10.1079/BJN2003954, 845
Hannestad U, see Lof M, 961
Hanson MA, see Burdge GC, 345
Hara H, see Nishimukai M, 565
Hara H, Wakisaka T & Aoyama Y *Lymphatic absorption of plasmalogen in rats,* DOI: 10.1079/BJN2003879, 29
Hardy L, see Wu C-L, 1049
Harrold JA & Williams G *The cannabinoid system: a role in both the homeostatic and hedonic control of eating? (Horizons in Nutritional Science)* DOI: 10.1079/BJN2003942, 729
Hart DJ, see Wright AJA, 363
Hartmann E, see Beyer-Sehlmeyer G, 1057
Hartmann PE, see Mitoulas LR, 979
Harvey I, see Belderson P, 1003
Harvey LJ, Majsak-Newman G, Dainty JR, Lewis DJ, Langford NJ, Crews HM & Fairweather-Tait SJ *Adaptive responses in men fed low- and high-copper diets,* DOI: 10.1079/BJN2003887, 161
Hashimoto M, see Yamamoto J, 1031
Hauton D, see Smith RD, 597
Heinonen S, see Oikarinen S, 119
Heitmann BL, see Togo P, 667
Herbein JH, see Loor JJ, 1039
Hesse A, see Hönow R, 295
Hesta M, Roosen W, Janssens GPJ, Millet S & De Wilde R *Prebiotics affect nutrient digestibility but not faecal ammonia in dogs fed increased dietary protein levels,* DOI: 10.1079/BJN2003988, 1007
Hibbeln J, see Pawlosky R, 993
Higgins JA, see Brown MA, 823
Higueret P, see Husson M, 191
Hill JO, see Grunwald GK, 1087
Hirata Y, see Yamamoto J, 1031
Hise M, see Grunwald GK, 1087
Hoffman D, see Idohou-Dossou N, 1123
Hönow R, Laube N, Schneider A, Keßler T & Hesse A *Influence of grapefruit-, orange- and apple-juice consumption on urinary variables and risk of crystallization,* DOI: 10.1079/BJN2003897, 295
Horowitz M, see O'Donovan D, 849
Horrobin D *Why do we not make more medical use of nutritional knowledge? How an inadvertent alliance between reductionist scientists, holistic dietitians and drug-oriented regulators and governments has blocked progress (Nutrition Discussion Forum),* DOI: 10.1079/BJN2003865, 233
Houdijk JGM, Jessop NS, Knox DP & Kyriazakis I *Breakdown of immunity to* Nippostrongylus brasiliensis *in lactating rats,* DOI: 10.1079/BJN2003961, 809
Hsu JM & Ding ST *Effect of polyunsaturated fatty acids on the expression of transcription factor adipocyte determination and differentiation-dependent factor 1 and of lipogenic and fatty acid oxidation enzymes in porcine differentiating adipocytes,* DOI: 10.1079/BJN2003918, 507
Hughes R, see Beyer-Sehlmeyer G, 1057
Huhtanen P, see Ahvenjärvi S, 41
Hulthén LR, see Størsrud S, 101
Hurrell R, see Davidsson L, 337
Hurrell RF, see Fidler MC, 1081
Husson M, Enderlin V, Alfos S, Féart C, Higueret P & Pallet V *Triiodothyronine administration reverses vitamin A deficiency-related hypo-expression of retinoic acid and triiodothyronine nuclear receptors and of neurogranin in rat brain,* DOI: 10.1079/BJN2003877, 191
Huth M, see Dongowski G, 895

Idohou-Dossou N, Wade S, Guiro AT, Sarr CS, Diaham B, Cissé D, Beau J-P, Chappuis P, Hoffman D & Lemonnier D *Nutritional status of preschool Senegalese children: long-term effects of early severe malnutrition,* DOI: 10.1079/BJN2003990, 1123
Ijiri Y, see Yamamoto J, 1031
Imaizumi K, see Ni W, 13

Inakuma T, see Yamamoto J, 1031
Iossa S, Lionetti L, Mollica MP, Crescenzo R, Botta M, Barletta A & Liverini G *Effect of high-fat feeding on metabolic efficiency and mitochondrial oxidative capacity in adult rats,* DOI: 10.1079/BJN2003968, 953

Jackson AA, see Burdge GC, 345
Jacobasch G, see Sembries S, 607
Jacobsen DJ, see Grunwald GK, 1087
Jahreis G, see Beyer-Sehlmeyer G, 1057
James L, see Fernandez-Twinn DS, 815
Janssens GPJ, see Hesta M, 1007
Jeffcoat R, see Seal CJ, 853
Jessop NS, see Houdijk JGM, 809
Jewell C, see Kelly O, 743
Johnson IT, see Steer TE, 635
Johnson SL, see Grunwald GK, 1087
Johnstone AM, see Faber P, 221
Julshamn K, see Dahl L, 679

Kamal-Eldin A, see Ross AB, 787
Kamphuis MMJW, Saris WHM & Westerterp-Plantenga MS *The effect of addition of linoleic acid on food intake regulation in linoleic acid tasters and linoleic acid non-tasters,* DOI: 10.1079/BJN2003858, 199
Karppinen S, see Oikarinen S, 119
Karsli A, see Blümmel M, 625
Keßler T, see Hönow R, 295
Kaushik SJ, see Rollin X, 865
Kelly CNM, see Smith RD, 597
Kelly O, Cusack S & Cashman KD *The effect of bovine whey protein on ectopic bone formation in young growing rats,* DOI: 10.1079/BJN2003937, 557
Kelly O, Cusack S, Jewell C & Cashman KD *The effect of polyunsaturated fatty acids, including conjugated linoleic acid, on calcium absorption and bone metabolism and composition in young growing rats,* DOI: 10.1079/BJN2003951, 743
Kersting M, see Alexy U, 441
Kew S, Gibbons ES, Thies F, McNeill GP, Quinlan PT & Calder PC *The effect of feeding structured triacylglycerols enriched in eicosapentaenoic or docosahexaenoic acids on murine splenocyte fatty acid composition and leucocyte phagocytosis,* DOI: 10.1079/BJN2003996, 1071
Kim S, see Ward WE, 589
Kimbell R, see Belderson P, 1003
Knox DP, see Houdijk JGM, 809
Konoplyannikov M, see Maguire L, 767
Koutsari C & Sidossis LS *Effect of isoenergetic low- and high-carbohydrate diets on substrate kinetics and oxidation in healthy men,* DOI: 10.1079/BJN2003894, 413
Kovacs EMR, Lejeune MPGM & Westerterp-Plantenga MS *The effects of enterostatin intake on food intake and energy expenditure,* DOI: 10.1079/BJN2003871, 207
Kovacs EMR, see Lejeune MPGM, 651
Kreuzer M, see Machmüller A, 529
Kubo K, see Sekine S, 385
Kullisaar T, Songisepp E, Mikelsaar M, Zilmer K, Vihalemm T & Zilmer M *Antioxidative probiotic fermented goats' milk decreases oxidative stress-mediated atherogenicity in human subjects* DOI: 10.1079/BJN2003896, 449
Kuvibidila SR & Porretta C *Iron deficiency and* in vitro *iron chelation reduce the expression of cluster of differentiation molecule (CD)28 but not CD3 receptors on murine thymocytes and spleen cells,* DOI: 10.1079/BJN2003864, 179
Kyriazakis I, see Houdijk JGM, 809

Labarthe F, see Delarue J, 777
Laboisse CL, see Moreau NM, 75
Langford NJ, see Harvey LJ, 161
Larondelle Y, see Rollin X, 865
Larsen LC, see Christensen HR, 169
Larsen T, Thilsted SH, Biswas SK & Tetens I *The leafy vegetable amaranth (*Amaranthus gangeticus*) is a potent inhibitor of calcium availability and retention in rice-based diets,* DOI: 10.1079/BJN2003923, 521
Laube N, see Hönow R, 295
Lazzer S, Boirie Y, Meyer M & Vermorel M *Evaluation of two foot-to-foot bioelectrical impedance analysers to assess body composition in overweight and obese adolescents,* DOI: 10.1079/BJN2003983, 987
Lee J, see Pacheco D, 271
LeFloc'h N, see Savary-Auzeloux IC, 939
Lejeune MPGM, Kovacs EMR & Westerterp-Plantenga MS *Effect of capsaicin on substrate oxidation and weight maintenance after modest body-weight loss in human subjects,* DOI: 10.1079/BJN2003938, 651
Lejeune MPGM, see Kovacs EMR, 207
Lemmens AG, see Giudetti AM, 887
Lemonnier D, see Idohou-Dossou N, 1123
Lenner RA, see Størsrud S, 101
Leung LK, see Chan HY, 87
Leung LK, see Chan HY, 457
Levy J, see Walfisch Y, 759
Lewis DJ, see Harvey LJ, 161
Lewis RM, see Lisle SJM, 33
Li Q, see Sreeja VG, 467
Lin X, see Loor JJ, 1039
Lin Y, see Pawlosky R, 993
Lindman AS, Müller H, Seljeflot I, Prydz H, Veierød M & Pedersen JI *Effects of dietary fat quantity and composition on fasting and postprandial levels of coagulation factor VII and serum choline-containing phospholipids,* DOI: 10.1079/BJN2003911, 329
Lionetti L, see Iossa S, 953
Lisle SJM, Lewis RM, Petry CJ, Ozanne SE, Hales CN & Forhead AJ *Effect of maternal iron restriction during pregnancy on renal morphology in the adult rat offspring,* DOI: 10.1079/BJN2003881, 33
Liverini G, see Iossa S, 953
Llopis J, see Mataix J, 661
Lobley GE, see Faber P, 221
Lof M, Hannestad U & Forsum E *Comparison of commonly used procedures, including the doubly-labelled water technique, in the estimation of total energy expenditure of women with special reference to the significance of body fatness,* DOI: 10.1079/BJN2003975, 961
Lombardi-Boccia G, Aguzzi A, Cappelloni M, Di Lullo G & Lucarini M *Total-diet study: dietary intakes of macro elements and trace elements in Italy,* DOI: 10.1079/BJN2003997, 1117
Longland AC, see Moore-Colyer MJS, 109
Loor JJ, Lin X & Herbein JH *Effects of dietary* cis *9,* trans *11-18 : 2,* trans *10,* cis *12-18 : 2, or vaccenic acid* (trans *11-18 : 1) during lactation on body composition, tissue fatty acid profiles, and litter growth in mice,* DOI: 10.1079/BJN20031002, 1039
López-Aliaga I, see Campos MS, 61
Loyola AS, see Trinidad TP, 551
Lucarini M, see Lombardi-Boccia G, 1117

McColl J, see Roberts M, 425
McDowell IFW, see Sanderson P, 473
Machmüller A, Soliva CR & Kreuzer M *Methane-suppressing effect of myristic acid in sheep as affected by dietary calcium and forage proportion,* DOI: 10.1079/BJN2003932, 529
McKeever T, see Broadfield E, 215
MacLaren D *Essentials of Sports Nutrition (Book review),* DOI: 10.1079/BJN2003970, 997
McMullen S *Ruminant Physiology: Digestion, Metabolism, Growth and Reproduction (Book review),* DOI: 10.1079/

BJN2003866, 240
McNabb WC, see Pacheco D, 271
McNaughton SA & Marks GC *Development of a food composition database for the estimation of dietary intakes of glucosinolates, the biologically active constituents of cruciferous vegetables,* DOI: 10.1079/BJN2003917, 687
McNeill GP, see Kew S, 1071
McNulty H, see Sanderson P, 473
Maekawa A, see Sekine S, 385
Maguire AR, see Maguire L, 767
Maguire L, Konoplyannikov M, Ford A, Maguire AR & O'Brien NM *Comparison of the cytotoxic effects of β-sitosterol oxides and a cholesterol oxide, 7β-hydroxycholesterol, in cultured mammalian cells,* DOI: 10.1079/BJN2003956, 767
Majdoub L, see Savary-Auzeloux IC, 939
Majsak-Newman G, see Harvey LJ, 161
Malheiros RD, see Collin A, 261
Mallillin AC, see Trinidad TP, 551
Malthiery Y, see Dumas J-F, 969
Mambrini M, see Rollin X, 865
Marks GC, see McNaughton SA, 687
Marrugat J, see Schröder H, 431
Martens H, see Abdoun K, 751
Martin J-F, see Rousset S, 1107
Martin LJ, see Moreau NM, 75
Masa DB, see Trinidad TP, 551
Massy DJR, see Ross AB, 787
Mastroiacovo P, see Sanderson P, 473
Mataix J, Aranda P, Sánchez C, Montellano MA, Planells E & Llopis J *Assessment of thiamin (vitamin B_1) and riboflavin (vitamin B_2) status in an adult Mediterranean population,* DOI: 10.1079/BJN2003926, 661
Mathers JC, see Seal CJ, 853
Mättö J, see Oikarinen S, 119
Mecocci P, see Polidori MC, 147
Mehrländer K, see Sembries S, 607
Meijer EP, see Westerterp-Plantenga MS, 643
Melse-Boonstra A, see Sanderson P, 473
Meltzer HM, see Dahl L, 679
Meyer M, see Lazzer S, 987
Miguel Jr E, see Peluzio MCG, 3
Mikelsaar M, see Kullisaar T, 449
Miles EA, see Trebble T, 405
Miller Á, Stanton C, Murphy J & Devery R *Conjugated linoleic acid (CLA)-enriched milk fat inhibits growth and modulates CLA-responsive biomarkers in MCF-7 and SW480 human cancer cell lines,* DOI: 10.1079/BJN2003978, 877
Miller GJ, see Smith RD, 597
Millet S, see Hesta M, 1007
Millward DJ *An adaptive metabolic demand model for protein and amino acid requirements,* DOI: 10.1079/BJN2003924, 249
Milne E, see Faber P, 221
Minami M, see Sreeja VG, 467
Minihane AM, see Burdge GC, 311
Miroux B, see Mostyn A, 323
Mitoulas LR, Gurrin LC, Doherty DA, Sherriff JL & Hartmann PE *Infant intake of fatty acids from human milk over the first year of lactation,* DOI: 10.1079/BJN2003979, 979
Mollica MP, see Iossa S, 953
Montellano MA, see Mataix J, 661
Montgomery C, Speake BK, Cameron A, Sattar N & Weaver LT *Maternal docosahexaenoic acid supplementation and fetal accretion,* DOI: 10.1079/BJN2003888, 135
Moore N, Chao C, Yang L-P, Storm H, Oliva-Hemker M & Saavedra JM *Effects of fructo-oligosaccharide-supplemented infant cereal: a double-blind, randomized trial,* DOI: 10.1079/BJN2003950, 581
Moore-Colyer MJS, Morrow HJ & Longland AC *Mathematical modelling of digesta passage rate, mean retention time and* in vivo *apparent digestibility of two different lengths of hay and big-bale grass silage in ponies,* DOI: 10.1079/BJN2003869, 109
Moraes VMB, see Collin A, 261
Morcillo S, see Soriguer F, 1015
Moreau NM, Martin LJ, Toquet CS, Laboisse CL, Nguyen PG, Siliart BS, Dumon HJ & Champ MMJ *Restoration of the integrity of rat caeco-colonic mucosa by resistant starch, but not by fructo-oligosaccharides, in dextran sulfate sodium-induced experimental colitis,* DOI: 10.1079/BJN2003867, 75
Moreno F, see Soriguer F, 1015
Morifuji M, see Xu H, 573
Morrow HJ, see Moore-Colyer MJS, 109
Mostyn A, Wilson V, Dandrea J, Yakubu DP, Budge H, Alves-Guerra MC, Pecqueur C, Miroux B, Symonds ME & Stephenson T *Ontogeny and nutritional manipulation of mitochondrial protein abundance in adipose tissue and the lungs of postnatal sheep* DOI: 10.1079/BJN2003912, 323
Müller H, see Lindman AS, 329
Murakami M, see Yamamoto J, 1031
Muralitharan M, see Ostrowska E, 915
Murphy J, see Miller Á, 877
Musaiger AO, see Al-Sendi AM, 837
Mutanen M, see Oikarinen S, 119
Myatt M, see Al-Sendi AM, 837

Naemura A, see Yamamoto J, 1031
Nagahara N, see Sreeja VG, 467
Naismith DJ & Braschi A *The effect of low-dose potassium supplementation on blood pressure in apparently healthy volunteers,* DOI: 10.1079/BJN2003861, 53
Nestares T, see Campos MS, 61
Nguyen PG, see Moreau NM, 75
Ni W, Tsuda Y, Takashima S, Sato H, Sato M & Imaizumi K *Anti-atherogenic effect of soya and rice-protein isolate, compared with casein, in apolipoprotein E-deficient mice,* DOI: 10.1079/BJN2003878, 13
Nicholas C, see Wu C-L, 1049
Nishimukai M, Hara H & Aoyama Y *Enteral administration of soyabean lecithin enhanced lymphatic absorption of triacylglycerol in rats,* DOI: 10.1079/BJN2003946, 565
Northrop-Clewes CA, see Adelekan DA, 353
Núñez M, Urdaneta E & Santidrián S *Effect of insulin-like growth factor-I on nitrogen balance and intestinal galactose transport in rats with moderate liver cirrhosis,* DOI: 10.1079/BJN2003974, 929
Nydahl MC, see Smith RD, 597

O'Brien NM, see Maguire L, 767
O'Dea K, see Piers LS, 717
O'Donovan D, Feinle-Bisset C, Wishart J & Horowitz M *Lipase inhibition attenuates the acute inhibitory effects of oral fat on food intake in healthy subjects (Short communication),* DOI: 10.1079/BJN2003971, 849
Oh T-W & Ohta F *Dose-dependent effect of capsaicin on endurance capacity in rats,* DOI: 10.1079/BJN2003919, 515
Ohta F, see Oh T-W, 515
Oikarinen S, Heinonen S, Karppinen S, Mättö J, Adlercreutz H, Poutanen K & Mutanen M *Plasma enterolactone or intestinal* Bifidobacterium *levels do not explain adenoma formation in multiple intestinal neoplasia (Min) mice fed with two different types of rye-bran fractions,* DOI: 10.1079/BJN2003883, 119
Oiwa K, see Yamamoto J, 1031
Oliva-Hemker M, see Moore N, 581
Oliver P, see Picó C, 735
Olmedilla B, see Granado F, 487
O'Neill J, see Belderson P, 1003
Opsahl JA, see Dahl L, 679
Ortigues-Marty I, see Savary-Auzeloux IC, 939
Osler M, see Togo P, 667
Ostrowska E, Cross RF, Muralitharan M, Bauman DE & Dunshea

FR *Dietary conjugated linoleic acid differentially alters fatty acid composition and increases conjugated linoleic acid content in porcine adipose tissue,* DOI: 10.1079/BJN2003982, 915
Owa JA, see Adelekan DA, 353
Owens JA, see Gatford KL, 283
Owens PC, see Gatford KL, 283
Owoeye AA, see Adelekan DA, 353
Oyedeji AO, see Adelekan DA, 353
Ozanne SE, see Fernandez-Twinn DS, 815
Ozanne SE, see Lisle SJM, 33

Pacheco D, Tavendale MH, Reynolds GW, Barry TN, Lee J & McNabb WC *Whole-body fluxes and partitioning of amino acids to the mammary gland of cows fed fresh pasture at two levels of intake during early lactation,* DOI: 10.1079/BJN2003886, 271
Pallet V, see Husson M, 191
Palou A, see Picó C, 735
Patureau Mirand P, see Rousset S, 1107
Pawlosky R, Hibbeln J, Lin Y & Salem Jr N n-*3 Fatty acid metabolism in women (Nutrition Discussion Forum),* DOI: 10.1079/BJN2003985, 993
Pecqueur C, see Mostyn A, 323
Pedersen JI, see Lindman AS, 329
Peluzio MCG, Miguel Jr E, Drumond TC, César GC, Santiago HC, Teixeira MM, Vieira EC, Arantes RME & Alvarez-Leite JI *Monocyte chemoattractant protein-1 involvement in the α-tocopherol-induced reduction of atherosclerotic lesions in apolipoprotein E knockout mice,* DOI: 10.1079/BJN2003870, 3
Persin C, see Beyer-Sehlmeyer G, 1057
Petry CJ, see Lisle SJM, 33
Phillips J, see Ross AB, 787
Picard M, see Bigot K, 1023
Picó C, Oliver P, Sánchez J & Palou A *Gastric leptin: a putative role in the short-term regulation of food intake,* DOI: 10.1079/BJN2003945, 735
Piers LS, Walker KZ, Stoney RM, Soares MJ & O'Dea K *Substitution of saturated with monounsaturated fat in a 4-week diet affects body weight and composition of overweight and obese men,* DOI: 10.1079/BJN2003948, 717
Pisulewski PM, see Szymczyk B, 93
Planells E, see Mataix J, 661
Plank LD, see Rush EC, 1133
Polidori MC, Mecocci P, Stahl W & Sies H *Cigarette smoking cessation increases plasma levels of several antioxidant micronutrients and improves resistance towards oxidative challenge,* DOI: 10.1079/BJN2003890, 147
Pollock C *Animal Biotechnology: Science-Based Concerns (Book review),* DOI: 10.1079/BJN2003916, 847
Pool-Zobel BL, see Beyer-Sehlmeyer G, 1057
Porretta C, see Kuvibidila SR, 179
Potter J, see Roberts M, 425
Poutanen K, see Oikarinen S, 119
Prydz H, see Lindman AS, 329

Quinlan PT, see Kew S, 1071

Rabot S, see Rouzaud G, 395
Ranilla MJ, see Carro MD, 617
Rao CM, see Devi U, 541
Ratcliffe B, see Rouzaud G, 395
Rath PK, see Devi U, 541
Reilly J, see Roberts M, 425
Reynolds GW, see Pacheco D, 271
Richardson I, see Scollan ND, 709
Ritz P, see Dumas J-F, 969
Roberts M, Potter J, McColl J & Reilly J *Can prescription of sip-feed supplements increase energy intake in hospitalised older people with medical problems?* DOI: 10.1079/BJN2003898, 425
Roe MA, see Dainty JR, 503
Roger PL, see Faber P, 221
Rojo-Martínez G, see Soriguer F, 1015
Rollin X, Mambrini M, Abboudi T, Larondelle Y & Kaushik SJ *The optimum dietary indispensable amino acid pattern for growing Atlantic salmon* (Salmo salar *L.*) *fry,* DOI: 10.1079/BJN2003973, 865
Roosen W, see Hesta M, 1007
Ross AB, Shepherd MJ, Bach Knudsen KE, Glitsø LV, Bowey E, Phillips J, Rowland I, Guo Z-X, Massy DJR, Åman P & Kamal-Eldin A *Absorption of dietary alkylresorcinols in ileal-cannulated pigs and rats* DOI: 10.1079/BJN2003965, 787
Rossander-Hulthén L, see Slinde F, 1141
Roussel D, see Dumas J-F, 969
Rousset S, Patureau Mirand P, Brandolini M, Martin J-F & Boirie Y *Daily protein intakes and eating patterns in young and elderly French,* DOI: 10.1079/BJN20031004, 1107
Rouzaud G, Rabot S, Ratcliffe B & Duncan AJ *Influence of plant and bacterial myrosinase activity on the metabolic fate of glucosinolates in gnotobiotic rats,* DOI: 10.1079/BJN2003900, 395
Rowland I, see Beyer-Sehlmeyer G, 1057
Rowland I, see Ross AB, 787
Rubio LA *Carbohydrates digestibility and faecal nitrogen excretion in rats fed raw or germinated faba bean* (Vicia faba)*- and chickpea* (Cicer arietinum)*-based diets,* DOI: 10.1079/BJN2003903, 301
Rush EC, Plank LD, Davies PSW, Watson P & Wall CR *Body composition and physical activity in New Zealand Maori, Pacific and European children aged 5–14 years,* DOI: 10.1079/BJN20031000, 1133
Russell J, see Belderson P, 1003
Russell JR, see Blümmel M, 625
Ruxton CHS *Dietary guidelines for sugar: the need for evidence (Invited commentary),* DOI: 10.1079/BJN2003922, 245

Saavedra JM, see Moore N, 581
Saito M, see Sekine S, 385
Sakakibara S, see Xu H, 573
Salamatulla Q, see Xu H, 573
Salem Jr N, see Pawlosky R, 993
Sánchez C, see Mataix J, 661
Sánchez J, see Picó C, 735
Sanderson P, McNulty H, Mastroiacovo P, McDowell IFW, Melse-Boonstra A, Finglas PM & Gregory III JF *Folate bioavailability: UK Food Standards Agency workshop report,* DOI: 10.1079/BJN2003889, 473
Santiago HC, see Peluzio MCG, 3
Santidrián S, see Núñez M, 929
Saris WHM, see Kamphuis MMJW, 199
Sarr CS, see Idohou-Dossou N, 1123
Sato H, see Ni W, 13
Sato M, see Ni W, 13
Sattar N, see Montgomery C, 135
Savary-Auzeloux IC, Majdoub L, LeFloc'h N & Ortigues-Marty I *Effects of intraruminal propionate supplementation on nitrogen utilisation by the portal-drained viscera, the liver and the hindlimb in lambs fed frozen rye grass,* DOI: 10.1079/BJN2003987, 939
Schneider A, see Hönow R, 295
Schoffelen PFM, see Adriaens MPE, 419
Schols A, see Goris A, 1141
Schröder H, Marrugat J, Elosua R & Covas MI for the REGICOR Investigators *Relationship between body mass index, serum cholesterol, leisure-time physical activity, and diet in a Mediterranean Southern-Europe population,* DOI: 10.1079/BJN2003899, 431
Schubert R, see Beyer-Sehlmeyer G, 1057

Scollan ND, Enser M, Gulati SK, Richardson I & Wood JD *Effects of including a ruminally protected lipid supplement in the diet on the fatty acid composition of beef muscle,* DOI: 10.1079/BJN2003933, 709
Seal CJ, Daly ME, Thomas LC, Bal W, Birkett AM, Jeffcoat R & Mathers JC *Postprandial carbohydrate metabolism in healthy subjects and those with type 2 diabetes fed starches with slow and rapid hydrolysis rates determined* in vitro, DOI: 10.1079/BJN2003972, 853
Seki J, see Yamamoto J, 1031
Sekine S, Kubo K, Tadokoro T, Maekawa A & Saito M *Dietary docosahexaenoic acid-induced production of tissue lipid peroxides is not suppressed by higher intake of ascorbic acid in genetically scorbutic Osteogenic Disorder Shionogi/Shi-od/od rats,* DOI: 10.1079/BJN2003906, 385
Seljeflot I, see Lindman AS, 329
Sembries S, Dongowski G, Jacobasch G, Mehrländer K, Will F & Dietrich H *Effects of dietary fibre-rich juice colloids from apple pomace extraction juices on intestinal fermentation products and microbiota in rats,* DOI: 10.1079/BJN2003925, 607
Sharoni Y, see Walfisch Y, 759
Shepherd MJ, see Ross AB, 787
Sherman R *Nutrition in Early Life (Book review),* DOI: 10.1079/BJN2003915, 847
Sherriff JL, see Mitoulas LR, 979
Shetty P, see Al-Sendi AM, 837
Shingfield KJ, see Ahvenjärvi S, 41
Sichert-Hellert W, see Alexy U, 441
Sidossis LS, see Koutsari C, 413
Sies H, see Polidori MC, 147
Siliart BS, see Moreau NM, 75
Silva KDRR, see Smith RD, 597
Simard G, see Dumas J-F, 969
Simmonds MSJ *Botanical Medicines: The Desk References for Major Herbal Supplements (Book review),* DOI: 10.1079/BJN2003875, 240
Slinde F & Rossander-Hulthén L *Energy balance in patients with chronic obstructive pulmonary disease (Nutrition Discussion Forum),* DOI: 10.1079/BJN2003998, 1141
Smith RD, Kelly CNM, Fielding BA, Hauton D, Silva KDRR, Nydahl MC, Miller GJ & Williams CM *Long-term monounsaturated fatty acid diets reduce platelet aggregation in healthy young subjects,* DOI: 10.1079/BJN2003953, 597
Soares MJ, see Piers LS, 717
Sobeck U, Fischer A & Biesalski HK *Uptake of vitamin A in buccal mucosal cells after topical application of retinyl palmitate: a randomised, placebo-controlled and double-blind trial,* DOI: 10.1079/BJN2003854, 69
Soliva CR, see Machmüller A, 529
Songisepp E, see Kullisaar T, 449
Sørensen TIA, see Togo P, 667
Soriguer F, Moreno F, Rojo-Martínez G, García-Fuentes E, Tinahones F, Gómez-Zumaquero JM, Cuesta-Muñoz AL, Cardona F & Morcillo S *Monounsaturated* n-*9 fatty acids and adipocyte lipolysis in rats,* DOI: 10.1079/BJN2003993, 1015
Southon S, see Wright AJA, 363
Speake BK, see Montgomery C, 135
Spiller GA, Story JA, Furumoto EJ, Chezem JC & Spiller M *Effect of tartaric acid and dietary fibre from sun-dried raisins on colonic function and on bile acid and volatile fatty acid excretion in healthy adults,* DOI: 10.1079/BJN2003966, 803
Spiller M, see Spiller GA, 803
Sreeja VG, Nagahara N, Li Q & Minami M *New aspects in pathogenesis of konzo: neural cell damage directly caused by linamarin contained in cassava* (Manihot esculenta Crantz), DOI: 10.1079/BJN2003902, 467
Srivastava VK, see Devi U, 541
Stahl W, see Polidori MC, 147
Stanton C, see Miller Á, 877
Steer TE, Johnson IT, Gee JM & Gibson GR *Metabolism of the soyabean isoflavone glycoside genistin* in vitro *by human gut bacteria and the effect of prebiotics,* DOI: 10.1079/BJN2003949, 635
Stephen J, see Waterlow JC, 1001
Stephenson T, see Mostyn A, 323
Stoney RM, see Piers LS, 717
Storlien LH, see Brown MA, 823
Storm H, see Moore N, 581
Størsrud S, Hulthén LR & Lenner RA *Beneficial effects of oats in the gluten-free diet of adults with special reference to nutrient status, symptoms and subjective experiences,* DOI: 10.1079/BJN2003872, 101
Story JA, see Spiller GA, 803
Stroud MA, see Trebble T, 405
Stubbs RJ, see Faber P, 221
Suganuma H, see Yamamoto J, 1031
Sullivan DK, see Grunwald GK, 1087
Symonds ME, see Mostyn A, 323
Szymczyk B & Pisulewski PM *Effects of dietary conjugated linoleic acid on fatty acid composition and cholesterol content of hen egg yolks,* DOI: 10.1079/BJN2003873, 93

Tadokoro T, see Sekine S, 385
Taka T, see Yamamoto J, 1031
Takashima S, see Ni W, 13
Taouis M, see Bigot K, 1023
Taouis M, see Collin A, 261
Tavendale MH, see Pacheco D, 271
Teixeira MM, see Peluzio MCG, 3
Tesseraud S, see Bigot K, 1023
Tetens I, see Larsen T, 521
Teucher B, see Dainty JR, 503
Thies F, see Kew S, 1071
Thilsted SH, see Larsen T, 521
Thomas LC, see Seal CJ, 853
Thompson RL, see Trebble T, 405
Thurnham DI, see Adelekan DA, 353
Tinahones F, see Soriguer F, 1015
Togo P, Heitmann BL, Sørensen TIA & Osler M *Consistency of food intake factors by different dietary assessment methods and population groups,* DOI: 10.1079/BJN2003943, 667
Took A, see Wu C-L, 1049
Toquet CS, see Moreau NM, 75
Trayhurn P *Recent highly cited articles in the* British Journal of Nutrition. DOI: 10.1079/BJN2003905, 1
Trebble T, Arden NK, Stroud MA, Wootton SA, Burdge GC, Miles EA, Ballinger AB, Thompson RL & Calder PC *Inhibition of tumour necrosis factor-α and interleukin 6 production by mononuclear cells following dietary fish-oil supplementation in healthy men and response to antioxidant co-supplementation,* DOI: 10.1079/BJN2003892, 405
Trinidad TP, Valdez DH, Loyola AS, Mallillin AC, Askali FC, Castillo JC & Masa DB *Glycaemic index of different coconut (*Cocos nucifera*)-flour products in normal and diabetic subjects,* DOI: 10.1079/BJN2003944, 551
Tsuda Y, see Ni W, 13

Urdaneta E, see Núñez M, 929

Valdez DH, see Trinidad TP, 551
Van As P, see Collin A, 261
Vanhatalo A, see Ahvenjärvi S, 41
Veierød M, see Lindman AS, 329
Vente-Spreeuwenberg MAM, Verdonk JMAJ, Verstegen MWA & Beynen AC *Villus height and gut development in weaned piglets receiving diets containing either glucose, lactose or starch,* DOI: 10.1079/BJN2003981, 907
Verdonk JMAJ, see Vente-Spreeuwenberg MAM, 907

Vermeeren M, see Goris A, 1141
Vermorel M, see Lazzer S, 987
Verstegen MWA, see Vente-Spreeuwenberg MAM, 907
Vieira EC, see Peluzio MCG, 3
Vihalemm T, see Kullisaar T, 449
Vos A, see de Kruif JThCM, 829

Wade S, see Idohou-Dossou N, 1123
Wakisaka T, see Hara H, 29
Walczyk T, see Davidsson L, 337
Walczyk T, see Fidler MC, 1081
Walfisch S, see Walfisch Y, 759
Walfisch Y, Walfisch S, Agbaria R, Levy J & Sharoni Y *Lycopene in serum, skin and adipose tissues after tomato-oleoresin supplementation in patients undergoing haemorrhoidectomy or peri-anal fistulotomy,* DOI: 10.1079/BJN2003955, 759
Walker KZ, see Piers LS, 717
Wall CR, see Rush EC, 1133
Wang H, see Chan HY, 87
Ward WE, Kim S & Bruce WR *A western-style diet reduces bone mass and biomechanical bone strength to a greater extent in male compared with female rats during development,* DOI: 10.1079/BJN2003952, 589
Waterlow JC & Stephen J *Dr Katya Ošancová 1920–2003 (Obituary),* DOI: 10.1079/BJN20031010, 1001
Watson P, see Rush EC, 1133
Weaver LT, see Montgomery C, 135
Weller P, see Breithaupt DE, 795
Wells JCK, Fuller NJ, Wright A, Fewtrell MS & Cole TJ *Evaluation of air-displacement plethysmography in children aged 5–7 years using a three-component model of body composition,* DOI: 10.1079/BJN2003930, 699
Westerterp KR, see Adriaens MPE, 419
Westerterp KR, see Westerterp-Plantenga MS, 643
Westerterp K, see Goris A, 1141
Westerterp-Plantenga MS, Goris AHC, Meijer EP & Westerterp KR *Habitual meal frequency in relation to resting and activity-induced energy expenditure in human subjects: a role of fat-free mass,* DOI: 10.1079/BJN2003940, 643
Westerterp-Plantenga MS, see Kamphuis MMJW, 199
Westerterp-Plantenga MS, see Kovacs EMR, 207
Westerterp-Plantenga MS, see Lejeune MPGM, 651
Will F, see Sembries S, 607
Williams C, see Wu C-L, 1049
Williams CM, see Burdge GC, 311
Williams CM, see Smith RD, 597
Williams G, see Harrold JA, 729
Wilson V, see Mostyn A, 323
Wirz S, see Yousafzai AK, 1097
Wishart J, see O'Donovan D, 849
Wisker E & Bach Knudsen KE *The rat as a model for pigs: comparative values for the digestibility of NSP and other macronutrients,* DOI: 10.1079/BJN2003920, 373
Wolf K, see Abdoun K, 751
Wolfe CA, see Wright AJA, 363
Wolters M, see Breithaupt DE, 795
Wood JD, see Scollan ND, 709
Wootton SA, see Burdge GC, 311
Wootton SA, see Trebble T, 405
Wouters E, see Goris A, 1141
Wright A, see Wells JCK, 699
Wright AJA, Finglas PM, Dainty JR, Hart DJ, Wolfe CA, Southon S & Gregory JF *Single oral doses of ^{13}C forms of pteroylmonoglutamic acid and 5-formyltetrahydrofolic acid elicit differences in short-term kinetics of labelled and unlabelled folates in plasma: potential problems in interpretation of folate bioavailability studies,* DOI: 10.1079/BJN2003908, 363
Wu C-L, Nicholas C, Williams C, Took A & Hardy L *The influence of high-carbohydrate meals with different glycaemic indices on substrate utilisation during subsequent exercise,* DOI: 10.1079/BJN20031006, 1049

Xu H, Sakakibara S, Morifuji M, Salamatulla Q & Aoyama Y *Excess dietary histidine decreases the liver copper level and serum alanine aminotransferase activity in Long-Evans Cinnamon rats,* DOI: 10.1079/BJN2003939, 573

Yakubu DP, see Mostyn A, 323
Yamada K, see Yamamoto J, 1031
Yamamoto J, Taka T, Yamada K, Ijiri Y, Murakami M, Hirata Y, Naemura A, Hashimoto M, Yamashita T, Oiwa K, Seki J, Suganuma H, Inakuma T & Yoshida T *Tomatoes have natural anti-thrombotic effects,* DOI: 10.1079/BJN2003994, 1031
Yamashita T, see Yamamoto J, 1031
Yang L-P, see Moore N, 581
Yoshida T, see Yamamoto J, 1031
Yousafzai AK, Filteau S & Wirz S *Feeding difficulties in disabled children leads to malnutrition: experience in an Indian slum,* DOI: 10.1079/BJN2003991, 1097

Zambonino Infante JL, see Cahu CL, 21
Zeder C, see Davidsson L, 337
Zeder C, see Fidler MC, 1081
Zilmer K, see Kullisaar T, 449
Zilmer M, see Kullisaar T, 449

Index of Authors is also available at www.cabi-publishing.org/jnlindices